

SAFETY DATA SHEET

MyMed++ Desinfektionsservietter til hænder

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

MyMed++ Desinfektionsservietter til hænder

Unique formula identifier (UFI)

GSQU-1228-H009-XNV2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Biocide

Product code (A.I.S.E.)

AISE-P317 / Wet wipe. Manual process.

Use descriptors (REACH)

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC8	Biocidal Products (e.g. Disinfectants, pest control)
Process category	Description
PROC28	Manual maintenance (cleaning and repair) of machinery

Uses advised against

No special.

1.3. Details of the supplier of the safety data sheet

Company and address

MyMed++

Springstrup 7

4300 Holbæk

Denmark

+45 45 34 20 10

www.mymed.dk

Contact person

Janie Madsen

E-mail

info@mymed.dk

Revision

09/09/2022

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s)

Not applicable.

Signal word

Not applicable.

Hazard statement(s)

Not applicable.

Safety statement(s)

General

_

Prevention

-

Response

-

Storage

-

Disposal

-

Hazardous substances

No special.

Additional labelling

Active substance(s):

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (0.15 g/100g)

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
ethanol	CAS No.: 64-17-5	<1%	Flam. Liq. 2, H225 Eye Irrit. 2, H319	
	EC No.: 200-578-6			
	UK-REACH:			
	Index No.: 603-002-00-5			
Quaternary ammonium	CAS No.: 68424-85-1	<1%	Acute Tox. 4, H302	
compounds, benzyl-C12-			Skin Corr. 1B, H314	
16-alkyldimethyl,	EC No.: 270-325-2		Eye Dam. 1, H318	
chlorides	UK-REACH:		Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	



Index No.:

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) and continue until irritation stops.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

No special.

4.3. Indication of any immediate medical attention and special treatment needed

No special.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

No special.

5.3. Advice for firefighters

No specific requirements.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.



6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

Room temperature 18 to 23°C (Storage on stock, 3 to 8°C)

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanol

Long term exposure limit (8 hours) (ppm): 1000

Long term exposure limit (8 hours) (mg/m³): 1920

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

2-phenoxyethanol

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	10.42 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	20.83 mg/kg bw/day
Long term – Local effects - General population	Inhalation	2.41 mg/m³
Long term – Local effects - Workers	Inhalation	5.7 mg/m³
Long term – Systemic effects - General population	Inhalation	2.41 mg/m³
Long term – Systemic effects - Workers	Inhalation	5.7 mg/m³
Long term – Systemic effects - General population	Oral	9.23 mg/kg bw/day
Short term – Systemic effects - General population	Oral	9.23 mg/kg bw/day
ethanol		
Duration	Route of exposure	DNEL



Long term – Systemic effects - General population	Dermal	206 mg/kg bw/day		
Long term – Systemic effects - Workers	Dermal	343 mg/kg bw/day		
Long term – Systemic effects - General population	Inhalation	114 mg/m³		
Long term – Systemic effects - Workers	Inhalation	950 mg/m³		
Short term – Local effects - General population	Inhalation	950 mg/m³		
Short term – Local effects - Workers	Inhalation	1900 mg/m³		
Long term – Systemic effects - General population	Oral	87 mg/kg bw/day		
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides				
Quaternary ammonium compounds, benzyl-C12-16-al	kyldimethyl, chlorides			
Quaternary ammonium compounds, benzyl-C12-16-al	kyldimethyl, chlorides Route of exposure	DNEL		
	•	DNEL 3.4 mg/kg bw/day		
Duration	Route of exposure			
Duration Long term – Systemic effects - General population	Route of exposure Dermal	3.4 mg/kg bw/day		
Duration Long term – Systemic effects - General population Long term – Systemic effects - Workers	Route of exposure Dermal Dermal	3.4 mg/kg bw/day 5.7 mg/kg bw/day		
Duration Long term – Systemic effects - General population Long term – Systemic effects - Workers Long term – Systemic effects - General population	Route of exposure Dermal Dermal Inhalation	3.4 mg/kg bw/day 5.7 mg/kg bw/day 1.64 mg/m³		

PNEC

2-phenoxyethanol

Route of exposure	Duration of Exposure	PNEC
Freshwater		943 μg/L
Freshwater sediment		7.237 mg/kg
Intermittent release (freshwater)		3.44 mg/L
Marine water		94.3 μg/L
Marine water sediment		723.7 μg/kg
Sewage treatment plant		36 mg/L
Soil		1.31 mg/kg
ethanol		
ethanol Route of exposure	Duration of Exposure	PNEC
	Duration of Exposure	PNEC 960 μg/L
Route of exposure	Duration of Exposure	-
Route of exposure Freshwater	Duration of Exposure	960 μg/L
Route of exposure Freshwater Freshwater sediment	Duration of Exposure	960 μg/L 3.6 mg/kg

Sewage treatment plant

Predators

380-720 mg/kg

580 mg/L



Soil		630 μg/kg		
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides				
Route of exposure	Duration of Exposure	PNEC		
Freshwater		900 ng/L		
Freshwater sediment		12.27 mg/kg		
Intermittent release (freshwater)		160 ng/L		
Marine water		960 ng/L		
Marine water sediment		13.09 mg/kg		
Sewage treatment plant		400 μg/L		
Soil		7 mg/kg		

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Hygiene measures

Wash hands after use.

Measures to avoid environmental exposure

No special when used as intended.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

Type	Class	Colour	Standards
No specific requiren	nents		

Skin protection

Recommended	Type/Category	Standards
No special when used as intended.	-	-

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
No specific requirements	-	-	-

Eye protection



Type Standards
No specific requirements -

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Testing not relevant or not possible due to the nature of the product.

Colour

White

Odour / Odour threshold

None

рΗ

Testing not relevant or not possible due to the nature of the product.

Density (g/cm³)

Testing not relevant or not possible due to the nature of the product.

Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

Particle characteristics

Testing not relevant or not possible due to the nature of the product.

Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

Vapour pressure

Testing not relevant or not possible due to the nature of the product.

Relative vapour density

Testing not relevant or not possible due to the nature of the product.

Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

Ignition (°C)

Testing not relevant or not possible due to the nature of the product.

Auto flammability (°C)

Testing not relevant or not possible due to the nature of the product.

Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

Other physical and chemical parameters

No data available.



SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

No special.

10.4. Conditions to avoid

No special.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Product/substance ethanol

Test method

Species Rat
Route of exposure Oral
Test LD50

Result 10471 mg/kg ·

Other information

Product/substance ethanol

Test method

Species Rat
Route of exposure Inhalation
Test LC50

Result 124,7 mg/m3 ·

Other information

Product/substance 2-phenoxyethanol

Test method

Species Rat
Route of exposure Oral
Test LD50
Result >740 mg/kg

Other information

Product/substance 2-phenoxyethanol

Test method

Species Rat
Route of exposure Inhalation
Test LC50

Result >1000 mg/m³



Other information

Product/substance

2-phenoxyethanol

Test method

Species Rat
Route of exposure Dermal
Test LD50
Result 14391 mg/kg

Other information

Product/substance

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Test method

Species Rat
Route of exposure Oral
Test LD50
Result 795 mg/kg

Other information

Product/substance Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Test method Species

Route of exposure Dermal

Test -

Result > 5000 mg/kg

Other information

Skin corrosion/irritation

Product/substance 2-phenoxyethanol

Test method OECD 404
Species Rabbit
Duration 4 hours

Result

Other information reversible

Serious eye damage/irritation

Product/substance 2-phenoxyethanol

Test method OECD 405 Species Rabbit

Duration Result

Other information reversible

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Product/substance 2-phenoxyethanol

Test method OECD 406 Species Guinea pig

Result No adverse effect observed (not sensitising)



Other information

Product/substance

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Test method OECD 406 Species Guinea pig

Result No adverse effect observed (not sensitising)

2-phenoxyethanol

Other information

Germ cell mutagenicity

Product/substance

Test method OECD 474 Species Mouse

Conclusion No adverse effect observed

Other information

Product/substance 2-phenoxyethanol

Test method OECD 471 Species Bacteria

Conclusion No adverse effect observed

Other information

Carcinogenicity

Product/substance 2-phenoxyethanol

Test method OECD 451 Species Mouse

Route of exposure Target organ Duration Test Result

Conclusion No adverse effect observed

Other information

Reproductive toxicity

Product/substance 2-phenoxyethanol

Test method OECD 414
Species Rat

Duration

Test NOAEL

Result 300 mg/kg bw/day

Conclusion No adverse effect observed

Other information

Product/substance

2-phenoxyethanol

Test method

Species Mouse

Duration

Test NOAEL

Result 375 mg/kg bw/day



Conclusion No adverse effect observed

Other information

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

No special.

Endocrine disrupting properties

No special.

Other information

ethanol has been classified by IARC as a group 1 carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance ethanol

Test method

Species Fish

Compartment

 $\begin{array}{ll} \text{Duration} & 96 \text{ hours} \\ \text{Test} & \text{LC50} \\ \text{Result} & 15,3 \text{ g/L} \cdot \end{array}$

Other information

Product/substance ethanol

Test method

Species Daphnia

Compartment

 $\begin{array}{ll} \text{Duration} & 24 \text{ hours} \\ \text{Test} & \text{EC50} \\ \text{Result} & 1833 \text{ mg/L} \cdot \end{array}$

Other information

Product/substance ethanol

Test method

Species Algae

Compartment

 $\begin{array}{ll} \text{Duration} & 72 \text{ hours} \\ \text{Test} & \text{EC50} \\ \text{Result} & 275 \text{ mg/L} \cdot \end{array}$

Other information

Product/substance 2-phenoxyethanol

Test method

Species Fish



Compartment

Duration 96 hours
Test LC50
Result 344 mg/L

Other information

Product/substance

Test method

Species Daphnia

Compartment

Duration 48 hours
Test EC50
Result 488 mg/L

Other information

Product/substance

2-phenoxyethanol

2-phenoxyethanol

Test method

Species Algae

Compartment

Duration 72 hours
Test EC50
Result 443 mg/L

Other information

Product/substance

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Test method

Species Daphnia, Daphnia magna

Compartment

Duration 48 hours
Test EC50
Result 0,016 mg/L

Other information

12.2. Persistence and degradability

Product/substance ethanol Biodegradable Yes

Test method Result

Product/substance 2-phenoxyethanol

Biodegradable Yes

Test method OECD 301 A
Result >90%

Product/substance

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Biodegradable Yes

Test method OECD 301 D Result 63%/28 d

12.3. Bioaccumulative potential



Product/substance

ethanol

No

Test method

Potential

bioaccumulation

LogPow -0,3500 BCF 0.2

Other information

Product/substance

2-phenoxyethanol

Test method

Potential No

bioaccumulation

LogPow 1,2000 BCF 0.35

Other information

Product/substance

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Test method

Potential No

bioaccumulation

LogPow No data available.

BCF 1,77

Other information

12.4. Mobility in soil

2-phenoxyethanol

LogKoc = 1.61, High mobility potential.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

No special.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Gr. H Waste with low energy content

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information



	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

^{*} Packing group

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

No special.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

Sources

In accordance with Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PROC28 = Manual maintenance (cleaning and repair) of machinery

PC8 = Biocidal Products (e.g. Disinfectants, pest control)

Abbreviations and acronyms

^{**} Environmental hazards



ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable.

The safety data sheet is validated by

Janie Madsen

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en