### **SAFETY DATA SHEET**

# Lotus Bio-Z Urinal Tabs for Urinals

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name

Lotus Bio-Z Urinal Tabs for Urinals

Unique formula identifier (UFI)

3VK2-836J-Q00K-RY66

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaning product

Product code (A.I.S.E.)

AISE-C8 / TOILET CLEANERS (powder, liquid, gel, tablet) for consumer use.

### Use descriptors (REACH)

| Sectors of use   | Description  |
|------------------|--|
| LCS "PW"         | Professional uses: Public domain (administration, education, entertainment, services, craftsmen) |
| Product category | Description  |
| PC35             | Washing and Cleaning Products (including solvent based products)                                 |

### **▼** Uses advised against

None known.

# 1.3. Details of the supplier of the safety data sheet

### Company and address

### Pro-Ren A/S

Springstrup 7

4300 Holbæk

Denmark

+45 70 20 34 60

http://www.proren.dk/

### Contact person

Janie Madsen

E-mail

info@proren.dk

Revision

05/10/2022

**SDS Version** 

2.0

Date of previous version

13/09/2022 (1.0)

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".



### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Eye Irrit. 2; H319, Causes serious eye irritation.

#### 2.2. Label elements

Hazard pictogram(s)



### Signal word

Warning

### Hazard statement(s)

Causes serious eye irritation. (H319)

### Safety statement(s)

General

#### Prevention

Wear eye protection. (P280)

#### Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

### Storage

# Disposal

# **▼** Hazardous substances

None known.

# Additional labelling

Not applicable.

# 2.3. Other hazards

# Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

| Product/substance  | Identifiers   | % w/w | Classification                         | Note |
|--|---|-------|--|------|
| poly(oxy-1,2-ethanediyl),<br>.alpha(2-propylheptyl)-<br>.omegahydroxy- | CAS No.: 160875-66-1 EC No.: 605-233-7 UK-REACH: Index No.: | 1-3%  | Acute Tox. 4, H302<br>Eye Dam. 1, H318 |      |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

Labelling of contents according to Detergents Regulation (EC) No 648/2004

15% - 30%

- · Non-ionic surfactants
- < 5%
- · Enzymes
- · Perfumes

#### SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

#### Eve contact

Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

### Burns

Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Sensitisation: This product contains substances, which may produce an allergic reaction through inhalation. The allergic reaction typically takes place within an hour after exposure. The reaction results in an inflammatory reaction to the lungs.

### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.



If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

Some metal oxides

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

### 6.3. Methods and material for containment and cleaning up

Minor spills are collected with a cloth. Collection and disposal of the material shall be done with minimum creation of dust. Sweep and collect. Shall be contained in suitable and tightly closed disposal containers.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits.

## Recommended storage material

Always store in containers of the same material as the original container.

### Storage temperature

Room temperature 18 to 23°C (Storage on stock, 3 to 8°C)

#### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

propane-1,2-diol

Long term exposure limit (8 hours) (ppm): 150(total)

Long term exposure limit (8 hours) (mg/m³): 474(total)/10(particulates)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

### **DNEL**

propane-1,2-diol



| Duration  | Route of exposure | DNEL      |
|---|-------------------|-----------|
| Long term – Local effects - General population    | Inhalation        | 10 mg/m³  |
| Long term – Local effects - Workers               | Inhalation        | 10 mg/m³  |
| Long term – Systemic effects - General population | Inhalation        | 50 mg/m³  |
| Long term – Systemic effects - Workers            | Inhalation        | 168 mg/m³ |

#### **PNFC**

## propane-1,2-diol

| Route of exposure                 | Duration of Exposure | PNEC       |
|-----------------------------------|----------------------|------------|
| Freshwater                        |                      | 260 mg/L   |
| Freshwater sediment               |                      | 572 mg/kg  |
| Intermittent release (freshwater) |                      | 183 mg/L   |
| Marine water                      |                      | 26 mg/L    |
| Marine water sediment             |                      | 57.2 mg/kg |
| Sewage treatment plant            |                      | 20 g/L     |
| Soil                              |                      | 50 mg/kg   |

### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

## **Exposure scenarios**

There are no exposure scenarios implemented for this product.

### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

# Appropriate technical measures

Airborne gas and dust concentrations must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and showers are clearly marked.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

No specific requirements.

### Individual protection measures, such as personal protective equipment

## Generally

Use only UKCA marked protective equipment.

### **Respiratory Equipment**

No specific requirements

### Skin protection

No specific requirements.

### Hand protection



| Material | Glove thickness<br>(mm) | Breakthrough time<br>(min.) | Standards                  |  |
|----------|-------------------------|-----------------------------|----------------------------|--|
| Nitrile  | 0,2                     | > 480                       | EN374-2, EN374-3,<br>EN388 |  |

#### Eye protection

No specific requirements.

### SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state

**Tablets** 

Colour

Yellow

Odour / Odour threshold

**Pleasant** 

рН

### Density (g/cm³)

Testing not relevant or not possible due to the nature of the product.

### Kinematic viscosity

Does not apply to solids.

### Particle characteristics

Testing not relevant or not possible due to the nature of the product.

### Phase changes

### Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

# Softening point/range (waxes and pastes) (°C)

Does not apply to solids.

### Boiling point (°C)

Does not apply to solids.

# Vapour pressure

Testing not relevant or not possible due to the nature of the product.

### Relative vapour density

Does not apply to solids.

## Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

### Data on fire and explosion hazards

### Flash point (°C)

Does not apply to solids.

### Ignition (°C)

Testing not relevant or not possible due to the nature of the product.

### Auto flammability (°C)

Testing not relevant or not possible due to the nature of the product.

### Lower and upper explosion limit (% v/v)

Does not apply to solids.

# Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient



Testing not relevant or not possible due to the nature of the product.

Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

### 9.2. Other information

Other physical and chemical parameters

No data available.

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### ▼ 10.3. Possibility of hazardous reactions

None known.

### ▼ 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

### SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Product/substance propane-1,2-diol

Test method

Species Rat Route of exposure Oral Test LD50

22000 mg/kg · Result

Other information

Product/substance propane-1,2-diol

Test method

**Species** Rabbit Inhalation Route of exposure Test LC50

Result >317042 mg/m3 ·

Other information

Product/substance propane-1,2-diol

Test method

Rabbit Species Route of exposure Dermal LD50 Test >2000 mg/kg · Result

Other information

Product/substance poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-



Test method

Species Rat
Route of exposure Oral
Test LD50

Result 200-2000 mg/kg ·

Other information

#### Skin corrosion/irritation

Product/substance propane-1,2-diol
Test method OECD 404
Species Rabbit
Duration 4 hours

Result No adverse effect observed (Not irritating)

Other information

### Serious eye damage/irritation

Product/substance propane-1,2-diol
Test method OECD 405
Species Rabbit

Duration Result

Other information reversible

Causes serious eye irritation.

# Respiratory sensitisation

Based on available data, the classification criteria are not met.

### Skin sensitisation

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

# Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

### ▼ Endocrine disrupting properties

None known.

## **▼** Other information

None known.

# SECTION 12: Ecological information

### 12.1. Toxicity

Product/substance

propane-1,2-diol

Test method

Species

Fish

Compartment

Duration 96 hours Test LC50 40613 mg/L · Result

Other information

Product/substance

propane-1,2-diol

Test method

**Species** 

Daphnia

Compartment

Duration 48 hours EC50 Test 18340 mg/L · Result

Other information

Product/substance

propane-1,2-diol

Algae

Test method

Species

Compartment

Duration 96 hours EC50 Test 19000 mg/L · Result

Other information

Product/substance

poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-

Test method

**Species** 

Daphnia

Compartment

Duration 48 hours Test EC50

Result 10-100 mg/L ·

Other information

# 12.2. Persistence and degradability

Product/substance propane-1,2-diol

Biodegradable Yes

Test method

Result 96% (OECD 306)

Yes

Product/substance

poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-

Biodegradable Test method

Lotus Bio-Z Urinal Tabs for Urinals



Result

### 12.3. Bioaccumulative potential

Product/substance propane-1,2-diol

Test method

Potential No

bioaccumulation

LogPow -1,0700 BCF 0.09

Other information

Product/substance poly(oxy-1,2-ethanediyl), .alpha.-(2-propylheptyl)-.omega.-hydroxy-

Test method

Potential No

bioaccumulation

LogPow No data available.

BCF No data available.

Other information

#### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

### ▼ 12.6. Endocrine disrupting properties

None known.

# ▼ 12.7. Other adverse effects

None known.

## SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

# EWC code

20 01 29\* Detergents containing dangerous substances

# Specific labelling

Not applicable.

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## **SECTION 14: Transport information**

|      | 14.1 UN / ID | 14.2 UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other information |
|------|--------------|------------------------------|-----------------------|----------|------------|-------------------|
| ADR  | -            | -                            | -                     | -        | -          | -                 |
| IMDG | -            | -                            | -                     | -        | -          | -                 |
| IATA | -            | -                            | -                     | -        | -          | -                 |

<sup>\*</sup> Packing group



#### \*\* Environmental hazards

#### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

### 14.6. Special precautions for user

Not applicable.

# 14.7. Maritime transport in bulk according to IMO instruments

No data available.

### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **▼** Restrictions for application

None known.

#### Demands for specific education

No specific requirements.

### SEVESO - Categories / dangerous substances

Not applicable.

### **▼** Product registration number

4453817

#### Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### Sources

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

### 15.2. Chemical safety assessment

No

#### SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H318, Causes serious eye damage.

### The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PC35 = Washing and Cleaning Products (including solvent based products)

# Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level



DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

### ▼ The safety data sheet is validated by

Janie Madsen

### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en